

Titan

Front-mounted Electric Reefer Unit



Green, Sustainable, Efficient and Reliable

Businesses face new challenges continuously. From increasing fuel costs to new noise or food safety regulations, there are a lot of variables that can cripple your operations. And while facing such challenges, you're still expected to continue to always deliver the freshest product possible. That's where Volta Air can help you.

Our range of electric and hybrid vehicle refrigeration units can suit all your needs. Irrespective of the kind of vehicle you have, Volta Air has efficient temperature control or refrigeration solutions for you.



Titan Electric Reefer Unit

Titan is a powerful, front-mounted no-idle electric reefer by Volta Air. It is a 12V electric refrigeration unit that can function without the engine compressor. This will help you save a lot on fuel costs and future maintenance or engine repair costs. Due to its power, it is best suited for commercial trucks or custom freezing projects. It can operate for up to 30 minutes without the engine or standby option turned on. This no-idle time will vary with changes in ambient temperature, insulation, application, and door position.

The Titan Refrigeration Unit comes in two variants depending on power source:

- **Battery Powered:** In this variant, the refrigeration unit is integrated with rechargeable batteries as the main power source.
- **Solar Powered:** In this variant, the refrigeration unit has an alternative charging system with solar panels as the main power source.



Lower Fuel Consumption & Operational Costs

The Titan reefer unit adjusts its performance according to capacity and demand, thus reducing fuel and power consumption. Reduced fuel consumption leads to a reduction in operational costs.

Smart Digital Temperature Controller

With the smart digital temperature controller, you can accurately monitor and control your cargo's temperature from the control panel. You can also check past data about temperature, power consumption, and more

Event-based Notification

With the SDTC, you can set an alarm range for the temperature and voltage. Once you set the range, you will get notified via email or SMS when the values go beyond the range you specified.

Low Noise

The Titan Front-mounted Electric Refrigeration unit produces low noise levels in all operating conditions. So, stop worrying about breaking any noise regulations and carry on with your business.

Installation Assistance

The installation of the Titan Electric Reefer unit is a two-person, two-day heavy-duty job. You'll get all the installation materials along with a video guide and manual. You can contact us for on-call consultation and tech support.

Volta Air, Approved by CARB


Most of our refrigeration systems are approved by the California Air Resources Board. This makes you eligible for TRU exemption from registering units or doing expensive compliance upgrades. With CARB's approval, you are also eligible for an 80% rebate in California!

The Titan Front-mounted Electric Reefer Unit comes with
Reefer Unit, Telematics, Installation Materials, Advanced Batteries, Solar Panels
and Standby Charging

Sustainable refrigeration solutions by Volta Air
Designed and Engineered in Canada

In-Cab Integrated Smart LCD Display Unit / Controller

With advanced control options, easy to program, and a clear LCD Backlit display, the Volta Air Smart Controller display unit is designed for optimal control of the refrigeration unit. The unit allows access to multiple functions and options, while guaranteeing optimal temperature control and accurate system reporting. The PLUTO DSR Display is fully integrated with alarm codes and information symbols for easy readability and rapid response.



Smart Control Panel with Advanced Digital Technology

- Easy installation
- Advanced controls within a simple interface
- Accurate refrigeration monitoring and management
- Highly configurable for specific applications

The LCD Control Unit

- Reduced service costs and fewer maintenance callouts
- Separated display and control board for easy and clean installation
- LCD backlit, with brightness control, for clear readability in all light conditions

Automated Features

- Low voltage protection, automatic recovery from power loss
- Manual and automated defrost command, with optional scheduling
- Variable fan and compressor speed control to ensure optimal performance and extend battery life
- Automatic shutdown if a door is left open, reduces cooling losses
- Over-the-air firmware updates

Optional Features

- Integration with TriTrackers application that allows for real-time temperature monitoring, GPS location tracking and system diagnostics.
- Independent control of multi-temp units
- Set-point lock
- Better manage the safety of your drivers and your products
- See suggestions for replacements to dodge expensive repercussions
- Preventative maintenance scheduling and reminders (TBD)

Specifications

Model		Titan +
Voltage		12V / 24V
Refrigerant		R448A /R134A
Refrigerant Charge		2.5 kg (5.5 lbs)
Cooling Capacity	+ 5°C (41°F)	6000 W (20500 BtU/H)
	0°C (32°F)	5100 W (17500 BTU/H)
	-15°C (5°F)	2100 W (7500 BTU/H)
Defrost Heaating		Compressed Hot Gas
Heating Capacity		3800 W (13000 BTU/H)
Compressor Type		12V / 24V DC Brushless electrical
Evaporator Fan Speed		>2000 m ³ /h / 1200 CFM
Working Current		12V 190A - 24V 105A
Max Current		12V 235A - 24V 125A
Split Unit	Condenser Dimensions	1470 x 500 530 mm (57.9 x 19.7 x 20.9 in)
	Condensor Weight	108 kg (238 lbs)
	Evaporator Dimensions	1200 x 568 x 226 mm (47 x 22.3 x 8.9 in)
	Evaporator Weight	27kg (59lbs)
Mono Block	Condenser Dimensions	1470 x 500 x 530 mm (57.9 x 19.7 x 20.9 in)
	Assembly Weight	132 kg (291 lbs)
	Evaporator Dimensions	1200 x 568 x 255 mm (49 x 23 x 10 in)

VOLTA AIR TECHNOLOGY INC.

Clean Refrigeration for Urban Delivery

Volta Air is a manufacturer for a range of sustainable refrigeration solutions for all kind of vehicles and applications.

Trusted By Companies Of All Sizes



VOLTA AIR

100 – 667 Sumas Way, Abbotsford, BC V2S 7P4 Canada

+1 855 210 3839

www.voltaair.com

sales@voltaair.com